

國立中興大學 114 學年度學士後醫學系招生考試試題

科目：普通生物及生化概論

系所：學士後醫學系甲、乙組

本科目不可以使用計算機

本科目試題共 12

頁

全部為單選題；配分：第 1 題至 60 題每題 2 分，第 61 題至 70 題每題 3 分，不倒扣。

1. Which of the following vitamin deficiencies is correctly paired with its associated disease?
 - A. Vitamin A – Beriberi
 - B. Vitamin B12 - Pernicious anemia
 - C. Vitamin K - Night blindness
 - D. Vitamin B1 - Impaired coagulation function
2. Which of the following is not involved in the patellar (knee-jerk) reflex?
 - A. Brain
 - B. Spinal cord
 - C. Sensory neurons
 - D. Motor neurons
3. Which of the following cell types originates from the same germ layer as nerve cells?
 - A. Cardiac muscle cells
 - B. Epithelial cells of the gastrointestinal tract
 - C. Adrenal medulla cells
 - D. Blood cells
4. Which of the following cell types has the most similar origin and function to macrophages?
 - A. Neutrophil
 - B. Lymphocyte
 - C. Microglia
 - D. Basophil
5. Which of the following structures in the male and female reproductive systems are homologous?
 - A. Scrotum – Clitoris
 - B. Penis - Labia majora
 - C. Testes – Uterus
 - D. Bulbourethral glands - Vestibular glands
6. Which of the following statements is correct during inhalation?
 - A. The diaphragm relaxes and rises, and the pressure in the alveoli is higher than atmospheric pressure.
 - B. The diaphragm relaxes and descends, and the pressure in the alveoli is lower than atmospheric pressure.
 - C. The diaphragm contracts and rises, and the pressure in the alveoli is higher than atmospheric pressure.
 - D. The diaphragm contracts and descends, and the pressure in the alveoli is lower than atmospheric pressure.
7. Which of the following pairings between neurotransmitter imbalance and associated neurological disorders is incorrect?
 - A. Glutamate - Huntington's disease
 - B. Dopamine - Parkinson's disease
 - C. Serotonin - Major depression

本科目 **不可以** 使用計算機

本科目試題共 12 頁

D. Acetylcholine - Alzheimer's disease

8. Which of the following participates in smooth muscle contraction but does not participate in skeletal muscle and cardiac muscle contraction?
- A. Actin
 - B. Myosin
 - C. Calmodulin
 - D. Ca^{2+}
9. Which of the following statements about myelin is correct?
- A. Myelin is distributed on the dendrites and axons of nerve cells, providing insulation and accelerating nerve signal transmission.
 - B. Myelin in the peripheral nervous system is composed of Schwann cells, which accelerate action potential transmission.
 - C. Myelin in the central nervous system is composed of Schwann cells, which accelerate action potential transmission.
 - D. Myelin in the central nervous system is primarily located in the gray matter region to ensure the precision of signal transmission.
10. Which of the following tissues has the highest proportion of extracellular matrix?
- A. Epithelial tissue
 - B. Connective tissue
 - C. Muscle tissue
 - D. Cartilage tissue
11. Cells transplanted from the neural tube of a frog embryo to the ventral part of another embryo develop into nervous system tissues. This result indicates that the transplanted cells were
- A. able to give rise to all tissue types, suggesting pluripotency.
 - B. already committed to forming neural tissues, implying early determination.
 - C. specialized cells that can only differentiate into a single type of tissue, indicating differentiation.
 - D. undifferentiated cells capable of forming a variety of cell types under specific conditions, pointing to plasticity.
12. Which of the following lipoproteins can remove cholesterol plaque, and high content in the blood decreases the possibility of cardiovascular disease?
- A. HDL
 - B. VLDL
 - C. IDL
 - D. LDL
13. Which of the following is not a hormone secreted by the pancreas?
- A. Insulin
 - B. Glucagon
 - C. Somatostatin
 - D. Somatomedin

本科目 **不可以** 使用計算機

本科目試題共 12 頁

14. Blood flow in the coronary circulation
- A. increases during systole.
 - B. increases during diastole.
 - C. remains constant throughout the cardiac cycle.
 - D. decreases during diastole.
15. Organophosphate poisoning has been reported in cases of accidental ingestion of contaminated food. Which of the following best describes the toxic mechanism of organophosphates?
- A. Irreversible inhibition of acetylcholinesterase, leading to excessive accumulation of acetylcholine at synapses.
 - B. Blockade of dopamine receptors, resulting in impaired neurotransmission.
 - C. Competitive inhibition of gamma-aminobutyric acid (GABA) receptors, causing excessive neuronal excitation.
 - D. Inhibition of sodium-potassium ATPase, leading to disruption of cellular ion homeostasis
16. Which statement is true about innate immunity?
- A. Innate immunity serves as the body's first line of defense against pathogens.
 - B. An animal's prior exposure to a pathogen influences an innate immune response's strength.
 - C. Innate immunity has not yet been discovered in plants.
 - D. All of the above are true.
17. _____ recognize pathogen-associated molecular patterns (PAMPs), a group of conserved molecular structures found in microbes.
- A. cytokines
 - B. toll-like receptors
 - C. interferons
 - D. complement proteins
18. Which of the following is the major cause of septic shock?
- A. systemic bacterial infections
 - B. latency period during viral infection
 - C. an increased amount of anti-inflammatory macrophages
 - D. local release of interferon
19. Which of the following cells and signaling molecules are involved in the *initial* stages of the local inflammatory response?
- A. lymphocytes and transcription factors
 - B. lymphocytes and cytokines
 - C. neutrophils and interferons
 - D. mast cells and histamines
20. Which of the following steps is crucial to activating the adaptive immune response after the innate immunity is primed?
- A. presentation of MHC (major histocompatibility complex)-antigen complex on a cell surface
 - B. activation of complement proteins

本科目 **不可以** 使用計算機

本科目試題共 12 頁

- C. clonal expansion of memory cells
D. gene rearrangement of lymphocyte receptors
21. Which structure is unique to gram-negative bacteria?
A. surface protein
B. peptidoglycan
C. lipopolysaccharide
D. teichoic acid
22. Which bacterial cell wall component can provide resistance to β -lactams antibiotics?
A. The outer membrane of the bacterial cell wall
B. Peptidoglycan
C. Phospholipid bilayer
D. All of the above
23. Which strategies would NOT help a virus to evade immune response activation?
A. Having antigenic drift and antigenic shift
B. Inhibiting antigen presentation via down-regulating MHC (major histocompatibility complex)
C. Producing viral proteins that are very similar to those of other viruses
D. Having viral latency period as part of the viral life cycle
24. A patient shows long-term persistent cough, fever, and emaciation. A closer examination shows granuloma formation in the lungs. Which pathogen is likely involved in this infection?
A. *Vibrio cholerae*
B. *Neisseria meningitidis*
C. *Mycobacterium tuberculosis*
D. *Salmonella typhimurium*
25. Which of the following statements is NOT true?
A. Flagella are commonly found in bacteria, enabling them to propel forward or backward.
B. Cilia are commonly found in eukaryotic cells, particularly located in the human respiratory tract.
C. Pili are often associated with bacteria and play a major role in conjugation.
D. Fimbriae can be found on bacterial surfaces and function in movement and motility.
26. Which of the following correctly characterizes saturated fats?
A. They contain more hydrogen than unsaturated fats with an equal number of carbon atoms.
B. Their fatty acid chains contain multiple double bonds.
C. They are more commonly found in plants than in animals.
D. They are usually liquid at room temperature.
27. Which of the following molecules is most similar in structure to ATP?
A. a DNA nucleotide
B. an RNA nucleotide
C. a pentose sugar
D. an amino acid with three phosphate groups attached

國立中興大學 114 學年度學士後醫學系招生考試試題

科目：普通生物及生化概論

系所：學士後醫學系甲、乙組

本科目 **不可以** 使用計算機

本科目試題共 12 頁

28. Which of the following statements best describes an enzyme?
- A. Enzymes increase the rate of chemical reactions by lowering activation energy barriers.
 - B. Patients with lactose intolerance often suffer from insufficient amounts of a gut enzyme known as galactose.
 - C. Disruption of an enzyme's active site would decrease the enzyme's ability to bind the final products.
 - D. Only herbivores have enzymes that can hydrolyze plant starch, thus making glucose available as a nutrient for cells.
29. Which of the following is an example of monosomy in humans?
- A. Down syndrome
 - B. Klinefelter syndrome
 - C. Trisomy X
 - D. Turner syndrome
30. Which concept best relates to the following discoveries: (1) sickle cell disease confers resistance to malaria disease (2) In some parts of Africa, where malaria is widespread, the frequency of individuals who are heterozygous for the sickle-cell anemia allele is higher than the rest of the world.
- A. Punnett square's modeling inheritance
 - B. Mendel's law of segregation
 - C. Incomplete dominance
 - D. Darwin's theory of natural selection
31. Which of the following is the antibacterial mechanism of Tetracyclines?
- A. Combined with 50S ribosome subunit
 - B. Inhibit translocase activity
 - C. Inhibit Aminoacyl-tRNA binding to the bacterial ribosomes
 - D. Inhibit ribosomal peptidyl transferase activity
32. Neuraminidase is one of the important enzymes of some influenza viruses. This enzyme can remove which group on the glycoconjugates on the host cell membrane?
- A. N-acetylglucosamine
 - B. glucuronic acid
 - C. galactose
 - D. sialic acid
33. Which of the following is the rate-determining enzyme for cholesterol synthesis?
- A. HMG-CoA synthase
 - B. HMG-CoA hydroxylase
 - C. HMG-CoA reductase
 - D. thiolase
34. How many disulfide bonds does a normal insulin have?
- A. 1
 - B. 2
 - C. 3

D. 4

35. Which of the following lipoprotein undergoes the RNA editing process to produce lipoprotein apo B-48?
- A. Apolipoprotein A1
 - B. Apolipoprotein C
 - C. Apolipoprotein B100
 - D. Apolipoprotein E
36. Which of the following statements about eicosanoid hormones is correct?
- A. Most are preformed and stored in vacuoles close to the cell membrane within the cell.
 - B. Prostaglandin, thromboxanes and leukotriene are not all their derivatives
 - C. Among them, thromboxanes are related to red blood cell (RBC) production.
 - D. The raw materials required for its production and synthesis mainly come from the cell membrane and are hydrolyzed by the enzyme phospholipase A2.
37. In the synthesis of gonadal hormones, which enzyme is unique to the production of estrogen?
- A. Aromatase
 - B. 5 α -reductase
 - C. 17 α -hydroxylase
 - D. 20 α -hydroxylase
38. Which of following amino acid has high rigidity led to form a natural kink in the peptide?
- A. Glycine
 - B. Proline
 - C. Serine
 - D. Cysteine
39. Which of the following proteins cannot promote bone marrow hematopoiesis?
- A. Granulocyte colony-stimulating factor (G-CSF)
 - B. Abciximab
 - C. Erythropoietin
 - D. Romiplostim
40. Mipomersen is an antisense oligonucleotide therapy for homozygous familial hypercholesterolemia through reducing serum low density lipoprotein (LDL) level. Which of the following is its main suppress target?
- A. Proprotein convertase subtilisin/kexin type 9 (PCSK9)
 - B. Apolipoprotein E
 - C. Apolipoprotein B-100
 - D. Apolipoprotein A1
41. Interleukin (IL)- 11 is a hematopoietic growth factor and mainly regulates the growth of which of the following?
- A. Red blood cell (RBC)
 - B. Reticulocyte

國立中興大學 114 學年度學士後醫學系招生考試試題

科目：普通生物及生化概論

系所：學士後醫學系甲、乙組

本科目 **不可以** 使用計算機

本科目試題共 12 頁

- C. Platelet
- D. Monocyte

42. In the TCA (tricarboxylic acid) cycle, which of the following is the only dehydrogenase that does not use NAD⁺ as a coenzyme?
- A. α -Ketoglutarate dehydrogenase
 - B. Malate dehydrogenase
 - C. Isocitrate dehydrogenase
 - D. Succinate dehydrogenase
43. Vitamin K deficiency can cause coagulopathy. What modifications are required for many coagulation factors?
- A. β -Acetylation
 - B. γ -Carboxylation
 - C. β -Carboxylation
 - D. γ -Acetylation
44. Many of the most potent toxins found in nature. Which of the following is the intoxication mechanism of tetrodotoxin?
- A. Activating acetylcholine receptor
 - B. Antagonizes acetylcholine receptors
 - C. Blocks voltage-gated K⁺ channels
 - D. Blocks voltage-gated Na⁺ channels
45. What modification on proline changes the structural elasticity of collagen?
- A. glycosylation
 - B. hydroxylation
 - C. phosphorylation
 - D. prenylation
46. What is the primary function of cytochrome c in the electron transport chain?
- A. Acts as a proton pump
 - B. Transfers electrons between Complex III and Complex IV
 - C. Synthesizes ATP
 - D. Reduces oxygen to water
47. During cellular respiration, the majority of ATP is produced during which stage?
- A. Glycolysis
 - B. Citric acid cycle
 - C. Electron transport chain
 - D. Fermentation
48. Which molecule is responsible for the conversion of fructose-6-phosphate to fructose-1,6-bisphosphate in glycolysis?
- A. Hexokinase
 - B. Phosphofructokinase

本科目 **不可以** 使用計算機

本科目試題共 12 頁

- C. Aldolase
D. Enolase
49. What is the main purpose of the urea cycle in mammals?
A. To break down fatty acids
B. To detoxify ammonia by converting it to urea
C. To produce ATP
D. To synthesize glucose
50. What is the primary function of the enzyme telomerase?
A. Repairs DNA damage
B. Unwinds the DNA double helix
C. Synthesizes RNA primers
D. Extends the telomeres of chromosomes
51. In the process of gluconeogenesis, which enzyme catalyzes the conversion of pyruvate to oxaloacetate?
A. Pyruvate kinase
B. Pyruvate carboxylase
C. Phosphoenolpyruvate carboxykinase (PEPCK)
D. Lactate dehydrogenase
52. What is the primary function of ubiquitin in the cell?
A. DNA replication
B. Protein degradation
C. RNA transcription
D. Lipid synthesis
53. What is the role of topoisomerase in DNA replication?
A. Synthesizes RNA primers
B. Unwinds the DNA helix
C. Relieves the tension generated by unwinding
D. Joins Okazaki fragments
54. Which of the following amino acid contains sulfur?
A. Glycine
B. Alanine
C. Methionine
D. Proline
55. Which of the following is a homopolysaccharide?
A. Chitin
B. Chondroitin
C. Heparin
D. Pectin

國立中興大學 114 學年度學士後醫學系招生考試試題

科目：普通生物及生化概論

系所：學士後醫學系甲、乙組

本科目 **不可以** 使用計算機


本科目試題共 12 頁

56. Pompe disease also known as glycogen storage disease II is caused by defect in _____.
A. Glycogen phosphorylase
B. Glycogen branching enzyme
C. Lysosomal α -1, 4-glucosidase
D. Phosphorylase kinase
57. Which of the following is not a mechanism by a body to achieve self-tolerance of the immune system?
A. clonal proliferation
B. central tolerance
C. peripheral anergy
D. clonal deletion
58. In prokaryotic translation, which of the following proteins is responsible for binding and transporting the initiator tRNA?
A. eIF2
B. IF1
C. IF2
D. IF3
59. Which of the following hormones could lower blood calcium level?
A. Aldosterone
B. Renin
C. Calcitonin
D. Cortisol
60. Which enzyme is responsible for the degradation of glycogen to glucose-1-phosphate?
A. Glycogen synthase
B. Glycogen phosphorylase
C. Phosphoglucomutase
D. Glucose-6-phosphatase
61. Which of the following signaling pathways are mainly activated by human erythropoietin in inducing the release of reticulocytes from the bone marrow?
A. protein kinase A (PKA)
B. AMP-dependent protein kinase (AMPK)
C. Janus kinase (JAK) signal transducer and activator of transcription (JAK-STAT) pathway
D. protein kinase C (PKC)
62. Which of the following could inhibit vitamin K epoxide reductase (VKOR), and then reduces the production of coagulation factors?
A. melagatran
B. tissue plasminogen activator (tPA)
C. heparin
D. warfarin

本科目 **不可以** 使用計算機


本科目試題共 12 頁

63. During a metabolic pathway, the accumulation of a specific intermediate inhibits the activity of the pathway's first enzyme. This type of regulation is known as:
- Competitive inhibition, where the intermediate competes with the substrate for the active site.
 - Non-competitive inhibition, where the intermediate binds to a different site on the enzyme.
 - Feedback inhibition, where the intermediate acts as a regulator of the pathway.
 - Allosteric activation, where the intermediate enhances the enzyme's activity.
64. In the context of genetic engineering, which method allows for the precise editing of specific genes within an organism's genome?
- CRISPR-Cas9 technology that targets and edits specific DNA sequences.
 - Traditional mutagenesis techniques that induce random mutations.
 - RNA interference to silence specific gene expression.
 - Polymerase chain reaction (PCR) to amplify specific DNA segments.
65. Sickle cell disease (SCD) is an autosomal recessive monogenic blood disorder, caused by a single point mutation in the sixth codon of the β -globin gene. What is the sixth amino acid of the β -globin in SCD?
- Glutamic acid
 - Valine
 - Aspartic acid
 - Proline
66. Azidothymidine (AZT) is a reverse transcriptase inhibitor that was part of the first class of antiviral drugs developed to treat HIV infection. Which of the following steps does AZT act on during the HIV infection cycle?



- Step A
- Step B
- Step C
- Step D

67. Which statements are TRUE about the following steps of an ATP cycle?



- (1) ATP hydrolysis to ADP + inorganic phosphate (P_i) yields energy
- (2) the P_i released from ATP hydrolysis serves as an additional energy source
- (3) Exergonic and catabolic pathways
- (4) Endergonic and anabolic pathways

- A. (1) and (2)
- B. (3) and (4)
- C. (1), (3), and (4)
- D. (1), (2), and (3)


68. The menstrual cycle can be divided into four phases: ①Follicular, ②Ovulation, ③Luteal, and ④Menstrual. During these phases, the following endocrine changes occur: a. High estrogen and progesterone; low FSH and LH, b. Low estrogen and progesterone, c. LH surge, d. Increasing estrogen; low LH and low progesterone. Please match the correct endocrine change with each phase of the menstrual cycle.

- A. ①d, ②a, ③c, ④b
- B. ①a, ②d, ③b, ④c
- C. ①d, ②c, ③a, ④b
- D. ①a, ②b, ③d, ④c

本科目 **不可以** 使用計算機


本科目試題共 12 頁

69. The process of urine formation involves the following steps: ① Active transport of sodium; water follows passively. ② Active transport of sodium; impermeable to water. ③ Passively permeable to water only. ④ Passively permeable to water and urea. Please match each step to the following regions of the nephron:



- A. ① a, ② c, ③ b, ④ e
- B. ① a, ② b, ③ c, ④ e
- C. ① a, ② b, ③ e, ④ c
- D. ① b, ② a, ③ e, ④ c

70. The action potential has three main stages: ①, ②, and ③, caused by the movement of ions across the cell membrane. Please select the correct ion movement corresponding to each phase:



- A. ① Na^+ influx, ② K^+ efflux, ③ excessive K^+ efflux
- B. ① K^+ influx, ② Na^+ efflux, ③ Cl^- influx
- C. ① Na^+ efflux, ② K^+ influx, ③ excessive Na^+ influx
- D. ① Cl^- efflux, ② K^+ influx, ③ Na^+ influx

國立中興大學 114 學年度醫學院學士後醫學系招生考試

選擇題參考答案

科目：普通生物及生化概論

題號	答案	題號	答案										
1.	B	16.	A	31.	C	46.	B	61.	C	76.		91.	
2.	A	17.	B	32.	D	47.	C	62.	D	77.		92.	
3.	C	18.	A	33.	C	48.	B	63.	C	78.		93.	
4.	C	19.	D	34.	C	49.	B	64.	A	79.		94.	
5.	D	20.	A	35.	C	50.	D	65.	B	80.		95.	
6.	D	21.	C	36.	D	51.	B	66.	B	81.		96.	
7.	A	22.	A	37.	A	52.	B	67.	C	82.		97.	
8.	C	23.	C	38.	B	53.	C	68.	C	83.		98.	
9.	B	24.	C	39.	B	54.	C	69.	A	84.		99.	
10.	B	25.	D	40.	C	55.	A	70.	A	85.		100.	
11.	B	26.	A	41.	C	56.	C	71.		86.			
12.	A	27.	B	42.	D	57.	A	72.		87.			
13.	D	28.	A	43.	B	58.	C	73.		88.			
14.	B	29.	D	44.	D	59.	C	74.		89.			
15.	A	30.	D	45.	B	60.	B	75.		90.			

**國立中興大學 114 學年度學士後醫學系招生考試
試題參考答案疑義釋疑公告**

科目	題號	疑義答覆	釋疑結果
普通 生物 及生 化概 論	7	Huntington's disease 的主要致病原因是 corpus striatum 中 GABAergic neuron degeneration，故答案預設為 A，但後續引發之 glutamate-mediated excitotoxicity 的確參與病理形成，並非完全無關，故選項 A 也可視為正確配對，此題無正確答案。	送分
	10	Cartilage tissue 為 connective tissue 的其中一種，故此題選 B 和 D 皆正確。	選 B 或 D 皆正確
	38	The question 38 is described as “Which of following amino acid has high rigidity led to form a natural kink in the peptide?” Though both proline and glycine could form the natural kink in peptide, however glycine is not considered a rigid amino acid; in fact, glycine is known for its flexibility.	維持公告 答案 B
	66	考慮題目給予的附圖，A 階段應為病毒入侵，B 階段為病毒進行轉錄生成病毒的 cDNA。故 B 選項正確。	維持公告 答案 B
	67	考慮到學生們對於英文單字“yield”較陌生，出題用意也非測試學生英文能力，故此題 B 和 C 皆正確。	選 B 和 C 皆正確

【版權所有，翻印必究】

生化概論

莊老師(施政安)老師提供

114 年度中興後西醫試題命中事實(2025/4/13)

題號	講義	總復習	實戰解析
1	5-9 (vitamins)	-	-
12	4-262 (HDL)	-	-
26	3-115 (fatty acid)	-	-
27	4-159 (RNA)	-	-
28	2-166 (enzyme)	-	-
31	6-207 (Tetracycline)	-	-
	BAND 18/10/2024 公告: inhibitors of translation		
32	1-166 (sialic acid)	p16	T1-25
33	5-55 (HMG-CoA reductase)	p54	-
34	1-301 (insulin)	-	-
35	6-157 (ApoB48)	-	T3-33
	BAND 6/3/2025 公告: RNA editing		
36	4-244 (eicosanoid)	-	-
37	none (aromatase)	-	-
38	1-228; 1-269 (proline)	p49	-
42	4-23 (succinate dehydrogenase)	p52	-
43	5-8 (vit. K)	p22	-
45	1-288 (hydroxylation of Pro)	p22	-
46	4-40 (cytochrome c)	-	T2-43
47	3-139 (ETC)	-	-

48	3-176 (glycolysis)	p51	-
49	4-113 (urea cycle)	-	-
50	6-57 (telomerase)	p16	-
51	3-208 (pyruvate carboxylase)	p2	-
52	1-198 (ubiquitin)	p17	-
53	3-16; 6-48 (topoisomerase)	-	-
54	1-71 (methionine)	p49	-
55	3-78	-	-
56	3-240(Pomp's disease)	p32 (筆記)	T3-9
58	6-187 (IF2)	-	-
60	3-226 (glycogen phosphorylase)	-	-
62	5-7 倒數第 6 行 (Warfarin)	-	-
63	3-162 (feedback inhibition)	-	-
64	6-525 (CRISPR-Cas9 system)	p40	T3-28
65	2-98 (Sickle cell)	-	-
66	4-174 (reverse transcriptase)	p35	-
67	none (exergonic vs endogonic)	p8	-

(註: 符號含義: 4-39 = 第四回講義第 39 頁; p25 = 總復習講義第 25 頁;

T1-7 = 實戰解析試題 Test one/第 7 題; T2-33 = 實戰解析試題

Test two/第 33 題; T3-2 = 實戰解析試題 Test three/第 2 題)

普通生物

曾正(曾蘇賢)老師提供

中興後西醫 生物

曾正

1. Vit B12 - Pernicious anemia
命中动物生理学: 消化系统
2. brain 不涉及 knee-jerk reflex
命中动物生理学: 神经系统
3. Adrenal medulla cells 与 nerve cells
为外胚层
命中动物生理学: 胚胎学
4. Microglia 为中枢神经系统的
macrophages
命中动物生理学: 神经系统
5. 雄性的尿道球腺与
雌性的前庭大腺同
源
命中动物生理学: 生殖系统

8. Calmodulin 參與 smooth muscle 收縮, 不參與 skeletal / Cardiac muscle 收縮

命中動物生理學: 骨骼肌肉系統

10. Connective tissue 亦
Cartilage tissue 含有
高比例的 ECM

命中動物生理學: 基礎生理概念

12. HDL 可移除 cholesterol,
為好的 lipoprotein

命中動物生理學: 消化系統, 總復習筆記

13. Somatomedin 由 IGF
而非胰臟分泌

命中動物生理學: 內分泌系統

14. Toll-like receptor (TLR)
會辨識病原體的 PAMPs

命中動物生理學: 免疫系統

19. 涉及 local inflammatory
早期反應為 histamine
及 mast cell

命中動物生理學：免疫系統

21. LPS 為 G⁻ bacteria
所特有, G⁺ bacteria 無

命中生物分類學：細菌

27. RNA nucleotide 結構
為 ATP 相似

命中分子生物學：DNA/RNA 結構

29. Turner syndrom 核型
(XO) 為 monosomy

命中古遺傳學：人類遺傳疾病

33. 合成 cholesterol 的 rate-limiting
enzyme 為 HMG-CoA reductase

命中貓味書、上課補充